

**AMENDMENTS TO THE CLAIMS**

*Please amend the claims as follows:*

1-2. (Canceled)

3. (Currently Amended) An apparatus for moving contents, comprising:

a receiver for receiving contents;

a storage medium for storing the received contents; and

a processor for processing a program which controls the movement the contents to a second storage medium by analyzing a copy control code of the contents, and storing the contents in the second storage medium ~~by converting the copy control code of the contents~~ according to the result of the analysis, wherein the copy control code of the contents is converted ~~by increasing by~~ to one the possible number of copies of the contents if the copy control code is determined to indicate ~~a restricted number of~~ no copies as a result of the above analysis and if a command for the moving is generated, wherein the moving of the contents is only possible when mutual authentication is performed between the first storage medium and the second storage medium.

4. (Canceled)

5. (Previously Presented) The apparatus of claim 3, wherein the processor deletes the original contents of the storage medium after the contents move to the second storage medium.

6. (Previously Presented) The apparatus of claim 3, further comprising an interface for interfacing between the first storage medium and the second storage medium.

7. (Currently Amended) A method for moving contents, comprising the steps of:

analyzing a copy control code of the contents when a user demands moving the contents from a first storage medium to a second storage medium; and

storing the contents in the second storage medium ~~by converting the copy control code of the contents~~ according to the result of analysis, wherein the copy control code of the contents is converted ~~by increasing by~~ to one the possible number of copies of the contents if the copy control code is determined to indicate ~~a restricted number of~~ no copies as a result of the above analysis ~~and~~, wherein the moving of the contents is only possible when mutual authentication is performed between the first storage medium and the second storage medium.

8. (Canceled)

9. (Previously Presented) The method of claim 7, wherein the copy control code of contents is not converted if the copy control code is determined to indicate an unrestricted number of copies.

10. (Canceled)

11. (Original) The method of claim 7, further comprising a step of:  
deleting original contents stored in the first storage medium.

12. (Currently Amended) A method for moving contents, comprising  
the steps of:

reading a set value of a moving determination code ~~bit in a header of packet of the contents~~ if a user demands moving contents from a first storage ~~medium-part~~ to a second storage ~~medium-part~~;

judging whether the contents can be moved according to the set value  
based on the set value of the moving determination code; and

moving the contents from the first storage ~~medium-part~~ to the second storage ~~medium-part~~ if the contents can be moved as the result of the above

~~judgment by analyzing the copy control code of the contents and, wherein the copy control code of the contents is converted by increasing by one the possible number of copies of the contents if the copy control code is determined to indicate a restricted number of copies as a result of the above analysis and the~~  
moving of the contents is performed only after mutual authentication is performed between the first storage medium-part and the second storage medium-part is performed.

13. (Currently Amended) The method of claim 12, further comprising a step of:

deleting original contents stored in the first storage ~~medium-part~~.

14. (Currently Amended) The method of claim 12, wherein the moving determination ~~bit-code is included-set using a bit in a header of the packet of~~  
the contents.

15. (Currently Amended) The method of claim 12, wherein the step of moving is to ~~copy-move~~ the contents from the first storage ~~medium-part~~ to the second storage ~~medium-part~~ regardless of a set value of a copy control code for indicating a-the result of judgment of the possible number of copies.

16. (Currently Amended) The method of claim 12, wherein the step of moving comprises the steps of:

performing an authentication between the first storage part and second storage part to move the contents; and

moving the contents from the first storage part to the second storage part if the authentication is performed successfully.

~~deleting the original contents stored in the first storage medium after storing the contents in the second storage medium by converting the copy control code of the contents according to the result of analysis.~~

17. (Canceled)

18. (Currently Amended) The method of claim 16, wherein the step of performing comprises the steps of:

determining whether the first part and the second part are connected each other if the contents can be moved as the result of the above judgment; and

performing an authentication between the first storage part and second storage part to move the contents if the first part and the second part are connected each other as a result of determining step~~the copy control code is~~

~~not converted if the copy control code is determined to indicate an unrestricted number of copies as the result of the above analysis.~~

19. (Currently Amended) The method of claim ~~16~~ 18, wherein the first part and the second part are connected through IEEE1394 or Universal Serial Bus ~~the copy control code is converted to a single copy if the copy control code is determined to indicate no copies as the result of the above analysis.~~

20. (Currently Amended) The method of claim ~~12~~ 15, further comprising a step of:

copying the contents from the first storage ~~medium~~ part to the second storage ~~medium~~ part according to the set value of the copy control code if the contents can not be moved by the set value of the moving determination code, wherein the copy control code is changed to a value decreased by one if the copy is performed.

21. (New) A method for moving contents, comprising the steps of:

(a) judging whether a content can be moved on a basis of a moving control information, wherein the moving control information being distinguished from a copy control information to indicate whether a copy of content is permitted or not; and

(b) moving the content from first part to second part if the content can be moved as the result of the step (a), wherein mutual authentication between the first part and the second part is performed before the moving of the content.

22. (New) The method of claim 21, further comprising a step of:

(c) deleting the original content stored in the first part after the moving step is performed.

23. (New) The method of claim 21, further comprising a step of:

(c) performing an operation for not using the content stored in the first part after the moving step is performed.

24. (New) The method of claim 21, wherein the moving control information is included in a header of packet, the content comprising a plurality of packets.

25. (New) The method of claim 24, wherein the step (b) is performed regardless of a status of copy control information included in the header, the copy control information for indicating whether the copy is permitted or not.

26. (New) The method of claim 21, wherein the step (b) is performed only when the authentication is performed successfully.

27. (New) The method of claim 26, wherein the authentication is performed using a particular key value.

28. (New) The method of claim 21, wherein the step (b) comprises  
(b1) identifying whether the second part is connected to the first part;  
and

(b2) determining whether to move the content from the first part to the second part based on a result of the step (b1).

29. (New) The method of claim 28, wherein the step (b2) comprises  
(b2-1) performing an authentication between the first part and the second part if the second part is connected to the first part as a result of step (b1); and

(b2-2) moving the content only when the authentication is performed successfully.

30. (New) A method for moving contents, comprising the steps of:



(a) judging whether a content can be moved from first part to second part on a basis of a moving control information, wherein the moving control information being distinguished from a copy control information to indicate whether a copy of content is permitted or not;

(b) moving the content from the first part to the second part if the content can be moved as the result of the step (a); and

(c) performing an operation for not using the original content stored in the first part after the step (b) is performed.

31. (New) The method of claim 30, wherein the step (b) comprising the steps of:

(b1) performing an authentication between the first part and the second part if the content can be moved as the result of the step (a); and

(b2) moving the content from the first part to the second part only when the authentication is performed successfully.

32. (New) The method of claim 31, wherein the authentication is performed using a particular key value.

33. (New) The method of claim 30, wherein the step (b) comprises the steps of:

(b1) identifying whether the second part is connected to the first part if the content can be moved as the result of the step (a); and

(b2) moving the content from the first part to the second part only when the second part is connected to the first part as a result of the step (b1).

34. (New) The method of claim 33, wherein the first part is connected to the second part through IEEE1394 or Universal Serial Bus.

35. (New) The method of claim 30, wherein the step (a) further comprises a step of:

(a1) judging whether the second part can store the content,  
wherein the step (b) is performed if the content can be moved as the results of the step (a) and (a1).

36. (New) The method of claim 30, wherein the step (c) deletes the original content stored in the first part permanently.

37. (New) The method of claim 16, further comprising:  
deleting the original contents stored in the first storage part after moving the contents to the second storage part.